

BTEC 9682.1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of Joel J. Kampa

Art Unit 1744

Serial No. 10/814,363

Filed March 31, 2004

Confirmation No. 7746

For APPARATUS AND KIT FOR GENERATION OF CHLORINE DIOXIDE GAS

Examiner Krisanne M. Jastrzab

February 6, 2006

REQUEST FOR CONTINUED EXAMINATION TRANSMITTAL

TO THE COMMISSIONER FOR PATENTS,

SIR:

This is a Request for Continued Examination (RCE) under 37 C.F.R. §1.114 of the above-identified application.

1. REQUIRED SUBMISSION:

- a. ☐ Previously submitted
 - i. ☐ Consider the amendment(s)/reply under 37 C.F.R. §1.116 previously filed on _____
 - ii. ☐ Consider the arguments in the Appeal Brief or Reply Brief previously filed on _____
 - iii. ☐ Other _____
- b. ☒ Enclosed
 - i. ☒ Amendment/Reply
 - ii. ☐ Affidavit(s)/Declaration(s)
 - iii. ☐ Information Disclosure Statement
 - iv. ☐ Other _____

2. MISCELLANEOUS

- a. ☐ Suspension of action on the above-identified application is requested under 37 C.F.R. §1.103(c) for a period of _____ months. (Period of suspension shall not exceed 3 months; fee required)
- b. ☐ Other _____

3. FEES (Required when the RCE is filed)

- a. ☒ The Director is hereby authorized to charge the following fees, or credit any overpayments, to Deposit Account No. 19-1345. A duplicate copy of this sheet is enclosed for fee processing.
 - i. ☒ RCE fee required under 37 C.F.R. §1.17(e)
 - ii. ☒ Extension of time fee

BTEC 9682.1

iii. [] Other _____

- b. [] Check in the amount of \$_____ is enclosed. The Commissioner is hereby authorized to charge any underpayment or credit any overpayment to Deposit Account No. 19-1345.

Respectfully submitted,



Richard L. Bridge , Reg. No. 40,529
SENNIGER POWERS
One Metropolitan Square, 16th Floor
St. Louis, Missouri 63102
(314) 231-5400

RLB/tmg
VIA FACSIMILE 571-273-8300
Mail Stop RCE